

Conventions used

CAR 2 CAR Communication Consortium



About the C2C-CC

Enhancing road safety and traffic efficiency by means of Cooperative Intelligent Transport Systems and Services (C-ITS) is the dedicated goal of the CAR 2 CAR Communication Consortium (C2C-CC). The industrial driven, non-commercial association was founded in 2002 by vehicle manufacturers affiliated with the idea of cooperative road traffic based on Vehicle-to-Vehicle Communications (V2V) and supported by Vehicle-to-Infrastructure Communications (V2I). The Consortium members represent worldwide major vehicle manufactures, equipment suppliers and research organisations.

Over the years, the C2C-CC has evolved to be one of the key players in preparing the initial deployment of C-ITS in Europe and the subsequent innovation phases. C2C members focus on wireless V2V communication applications based on Direct Communication and concentrate all efforts on creating standards to ensure the interoperability of cooperative systems, spanning all vehicle classes across borders and brands. As a key contributor, the C2C-CC and its members work in close cooperation with the European and international standardisation organisations.

Disclaimer

The present document has been developed within C2C-CC and might be further elaborated within C2C-CC. C2C-CC and its members accept no liability for any use of this document and other documents from C2C-CC for implementation. C2C-CC documents should be obtained directly from the C2C-CC.

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media. © 2025, C2C-CC.

Intellectual Property Rights – Essential patents

IPRs essential or potentially essential to profiles or specifications may have been declared to the C2C-CC. The declarations pertaining to these essential IPRs, if any, are publicly available for the C2C-CC members and non-members, and can be found in "Essential or potentially Essential IPRs notified to the C2C-CC in respect of C2C-CC profiles or specifications" ([C2CCC IPR R]), which is available with the latest update from the webpage (<https://www.car-2-car.org>) of the C2C-CC.

Pursuant to the C2C-CC's IPR Policy [C2CCC IPR P], no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by the C2C-CC. No guarantee can be given as to the existence of other IPRs not referenced in [C2CCC IPR R] (or the updates on the C2C-CC web server) which are, or may be, or may become, essential to the present document.

Document information

Number:	2086	Version:	n.a.	Date:	2025-12-19
Title:	Conventions used			Document Type:	TR
Release	1.6.9				
Release Status:	Public				
Status:	Final				

Table 1: Document information

Changes since last release

Release	Date	Changes	Edited by	Approved
1.6.9	2025-12-19	TR_ConV_159 extended to allow property lists	Release Management	Steering Committee
1.6.8	2025-07-11	<ul style="list-style-type: none"> Link to ETSI guidelines updated Extension of tag list for expression of requirement variants 	Release Management	Steering Committee
1.6.7	2024-12-13	<p>Introduced marking for requirement variants, e.g., for specific vehicle types or roles, by:</p> <ul style="list-style-type: none"> Merging of: TR_ConV_163 into TR_ConV_159 Extending TR_ConV_159 by the new flags (#cycle), (#ptw) and (#aftermarket) of the (newly) supported vehicle type. 	Release Management	Steering Committee
1.6.6	2024-07-12	No changes	Release Management	Steering Committee
1.6.5	2023-12-15	Added description for tag (#a) and updated (i) to (#i)	Release Management	Steering Committee
1.6.4	2023-07-21	No changes	Release Management	Steering Committee
1.6.3	2022-12-16	Added description of release numbering schema	Release Management	Steering Committee
1.6.2	2022-07-22	No changes	Release Management	Steering Committee
1.6.1	2021-12-17	<ul style="list-style-type: none"> Introduced marking of requirements, indicating relevance for interoperability according to [CPOC] Clarified that British English is used in C2C-CC documents 	Release Management	Steering Committee
1.6.0	2021-07-23	Minor editorial changes	Release Management	Steering Committee
1.5.3	2021-03-12	No changes	Release Management	Steering Committee
1.5.2	2020-12-16	No changes	Release Management	Steering Committee
1.5.1	2020-07-31	Initial release	Release Management	Steering Committee

Table 2: Changes since last release

Table of contents

About the C2C-CC	1
Disclaimer	2
Intellectual Property Rights – Essential patents	2
Document information	3
Changes since last release	4
Table of contents	5
List of tables	5
List of figures	5
1 Introduction	6
2 Scope	7
3 Conventions on releases	8
3.1 Types	8
3.2 Numbering schema	8
4 Conventions on documents	10
4.1 Life Cycle Status	10
4.2 Document types	10
4.3 File names	10
5 Conventions on document content	11
5.1 Used Language	11
5.2 Modal verbs terminology	11
5.3 Requirement schema	11
5.3.1 Referencing of documents	13
5.4 Provisions from referenced documents	13
5.5 Requirements quality	13

List of tables

Table 1: Document information	3
Table 2: Changes since last release	4

List of figures

Figure 1: Release types and mapping to product phases	8
Figure 2: Release numbering schema	9

1 Introduction

Other (informational)

TR_ConV_147

Conventions on documents and their content are essential for a high quality of specification work as done by the CAR 2 CAR Communication Consortium.

2 Scope

Other (informational)

TR_ConV_146

This document provides the conventions used for the specification work as done by CAR 2 CAR Communication Consortium. It covers conventions on:

- Release types;
- Documents and
- Document content.

3 Conventions on releases

3.1 Types

Other (informational)

TR_ConV_157

Release types are closely related to product phase. They support the CAR 2 CAR Communication Consortium product phases schema and allow to deliver appropriate results in each life cycle phase.

C2C-CC applies three release types:

- Major Release:
 - Newly developed from scratch or
 - Major changes compared to previous release
 - Including bug fixing
- Minor release:
 - Introduction of new features, which
 - Shall not break backward compatibility
 - If mitigation is possible by the C2C-CC partner and was agreed exceptions might be made.
 - Including bug fixing
- Revisions
 - Bug fixing
 - Which shall not break backward compatibility




Figure 1: Release types and mapping to product phases

3.2 Numbering schema

Other (informational)

TR_ConV_162

CAR 2 CAR applies a two-digit numbering scheme to identify releases:

- Rx.y
- A third digit is used to identify the current revision

How to start the numbering of a new release:

- Each minor release starts with $z = 0$
- Each major release starts with $y = z = 0$
 - Example for a major release: R2.0
(the revision number is not necessarily shown)
 - Example for a revision: R2.0.2




Figure 2: Release numbering schema

4 Conventions on documents

4.1 Life Cycle Status

Other (informational)

TR_ConV_160

Valid live cycles of a released document are the following:

- Final = Valid document with in a release bundle
- Concluded = No further change is planned
- Obsolete = Not maintained. Is planned to be removed (status cancelled) with next release
- Canceled = Not released anymore in active release branch

4.2 Document types

Other (informational)

TR_ConV_156

C2C-CC Deliverables shall have one of the following Types:

- DocTyp = 2/3/4 letter abbreviation of:
 - EXP = Explanatory (white paper)
 - TR = Technical Report (position paper)
 - RS = Requirement Specification (TCs and BSP, PP,)
 - TS = Test Specification
 - PP = Protection Profile

4.3 File names

Other (informational)

TR_ConV_155

File names of C2C-CC deliverables shall follow the following schema:

- C2CCC_<DocType>_<ID>_<name>.pdf
 - <ID> = 4 digits (unordered number)
 - <Name> = document name, provided by Release Management and stored in the MasterDocumentList

5 Conventions on document content

5.1 Used Language

Other (informational)
TR_ConV_161

The language of documents published by the CAR 2 CAR Communication Consortium shall be British English.

Note: As our work is closely related to ETSI, which is using British English as well.

5.2 Modal verbs terminology

Other (informational)
TR_ConV_152

In the C2C-CC requirement specifications verbal forms shall be used as defined in chapter *drafting rules* in the directive:

https://portal.etsi.org/directives/50_ETSI_directives_dec_2024.pdf.

5.3 Requirement schema

Other (informational)
TR_ConV_154

C2C-CC requirements shall follow the following schema:

```
[<requirement id>]
<requirement text>
<trace to other requirements>
<trace to related tests>
```

Other (informational)
TR_ConV_158

C2C-CC requirement IDs shall follow the following schema:

<requirement id>	=	<DocType>_<DocAbbreviation>_<number>
<DocType>	=	see above
<DocAbbreviations>	=	2-6 letter abbreviation of document name (managed in the MasterDocumentList)
<number>	=	up to 5 digit and unique number within a document

Note: Requirements in Protection Profiles have in addition a “CC reference”, which stands for Common Criteria reference and shall increase the usability of the C2C-CC documents for security experts.

Other (informational)
TR_ConV_159

In the C2C-CC documents, flags are used in the top line of a requirement or an informational item to indicate whether they are relevant for this topic. Please find below the valid flags and their meaning:

Flag	Meaning	Notes	Tag
			Can be used within a specification idem to mark certain parts as relevant*

(#a)	This specification item is relevant to allow for a communication technology agnostic implementation		
(#i)	This specification item is relevant for interoperability according to [CPOC], Annex VIII: EU CCMS Levels & Requirements; chapter 19.	<ul style="list-style-type: none"> It is assumed that a self-certification, based on these requirements, to the EA operator occurs before the vehicle C-ITS station is enrolled under the ECTL Level 1 or Level 2 access criteria. Independently from the markings, all the requirements are applicable to comply with the [C2CCC BSP]. It is still the responsibility of the C-ITS station operator to comply to all the requirements of the [C2CCC BSP]. Especially privacy and security requirements (transmitting and receiving side). 	
Flags to indicate a specific property of the C-ITS subsystem, where the C-ITS station is equipped to, like vehicle types, roles etc.			
(#aftermarket)	C-ITS station which is operating in/on a vehicle <i>after its production</i>		<aftermarket> ... </aftermarket>
(#agri)	C-ITS station which is operating in/on an <i>agricultural machine</i>		<agri> ... </agri>
(#car)	C-ITS station which is operating in/on a car		<car> ... </car>
(#cycle)	C-ITS station which is operating in/on a <i>cycle</i>	See also: RS_BSP_581	<cycle> ... </cycle>
(#ptw)	C-ITS station which is operating in/on a <i>powered two wheelers</i>		<ptw> ... </ptw>
(#supervised)	C-ITS station which is operating in/on a vehicle and the correct assignment of the C-ITS stations to the correct vehicle is		<supervised> ... </supervised>

	supervised by a registered organization	
--	---	--

* if a part is relevant for several properties, the properties can be listed separated by commas.

5.3.1 Referencing of documents

Other (informational)

TR_ConV_425

Reference to other documents shall follow the following syntax:

<reference>	=	see clause <x> of <y> see <y>
<x>	=	<clause number> '<clause title>' '<clause title>' is optional
<y>	=	<reference to document as given in the reference list> '<document short title>' '<document short title>' is optional

Note: Versions of referenced documents or standards are given in C2C-CC's References document.

5.4 Provisions from referenced documents

Other (informational)

TR_ConV_153

Unless otherwise specified in the present document, the normative requirements included in the referenced documents supporting the required functionality of the vehicle C-ITS station profile shall apply. The verbal forms for the definition of provisions of referenced documents are defined either inside the document, or generally by the SDO (standardization organization) or the organization providing them. For example, normative requirements in ETSI documents are indicated by the verbal form 'shall'.

In case of more than one option in the standard, this document specifies which one is the recommended choice to ensure interoperability and/or sufficient performance. The C2C-CC specifications supplement the standards in case where standards are open for interpretation or believed not to contain all necessary requirements to ensure interoperability and/or sufficient performance.

The C2C-CC specifications might also supplement standards in cases where it is believed that more stringent requirements than the minimum requirements in the standard shall be applied to ensure sufficient performance.

5.5 Requirements quality

Other (informational)

TR_ConV_424

All Requirements shall have the following properties:

- **redundancy:** Requirements shall not be repeated within one requirement or in other requirements
- **clearness:** All requirements shall allow one possibility of interpretation only. Only technical terms of the glossary may be used. Furthermore, it must be clear from the requirement, what object the statement is a requirement on. Examples:
 - The <...> module shall/should/may ...
 - The <...> module's environment shall ...
 - The <...> configuration shall...
 - The function <...> shall ...
 - The hardware shall ...
- **atomicity:** Each Requirement shall only contain one requirement. A Requirement

is atomic if it cannot be split up in further requirements.

- **testability:** Requirements shall be testable by analysis, review or test.
- **traceability:** The source and status of a requirement shall be visible at all times.
- **formulation:** All requirements shall be formulated so that they can be interpreted without the surrounding context (for example: 'the function Xyz...' instead of 'this function...').